

Data Specification(特性要求): (Table-1)

ITEM 項目	MEASUREMENTS 测试腳位	CHARACTERISTICS 测试範圍	MEASURING CONDITIONS 條件 T(°C)=23±4;HR(%)=45±15	REMARK 備注		
LS 电感	PIN(1-3)	800uH ± 10%	Ug(V) = 1 $F(kHz) = 100$	SERIAL MODE 串联模式		
LK 漏 感	PIN(1-3)	40uH MAX.	Ug(V) =1 F(kHz) =100 SHORTED ALL OTHER PINS	SERIAL MODE 串联模式		
DCR 直流 電 阻	PIN(1-3)	2.80 Ω MAX.	/	4WIRE MODE 四线模式		
	PIN(4-5)	0.52 Ω MAX.	/	4WIRE MODE 四线模式		
	PIN(10-9)	0.40 Ω MAX.	/	4WIRE MODE 四线模式		
	PIN(7-6)	0.64 Ω MAX.	/	4WIRE MODE 四线模式		
HIPOT 耐压	PRI./SEC.	NO BREAKDOWN 漏 电 流≤3mA	VAC=1500V /60SEC F(Hz) =60	/		
	PRI./CORE	NO BREAKDOWN 漏 电 流≤3mA	VAC=1500V /60SEC F(Hz) =60	/		
	SEC./CORE	NO BREAKDOWN 漏 电 流≤3mA	VAC=1500V /60SEC F(Hz) =60	/		
PH 相 位	REFERENCE (FIG-1) 参考原理图(FIG-1)					


Prepared By ENG:	Date:	TITLE:	CUSTOMER	MODEL NO:EE13	
Checked By QA:	Date:	IIILE:	Approved:	REV.	00
Approved By ENG:	Date:	TRANSFORMER	Date:	PAGE	1 OF 3





OUTLINE DIAGRAM (外观图)

UNIT: mm

Tolerance unless otherwise specified: $.X\pm0.5$ $.XX\pm0.1$








NOTES:

- 1. Assembly the 2 magnetic cores on the bobbin with 2 layers 6.0mm width insulating tape. 用6.0mm宽的胶包2圈将两铁芯组装在胶芯上.
- 2. The product must be impregnated in varnish #642. 产品须浸凡立水#642.
- 3. YYWW: year week code(FIG-5).
 YYWW:年份周期代码(FIG-5).

Prepared By ENG:	Date :	TITLE :	CUSTOMER	MODEL NO.:	EE13
Checked By QA:	Date :		Approved:	REV.:	00
Approved By ENG:	Date :	TRANSFORMER	Date:	PAGE	2 OF 3



免责条款 Disclaimer

Specifications and appearances may change without notice. All statements, technical information and recommendations herein are based on tests that we believed to be reliable, but the accuracy and completeness are not guaranteed. Before using, user should determine the suitability of the product for its intended use, and the user assumes all risks and liabilities whatsoever in connection therewith. Neither the seller nor the manufacturer shall be liable for any loss or damage, direct, incidental or consequential, including loss of profits or revenues arising from the use or inability to use the product. Any statements or recommendations shall have no effect unless contained in an agreement signed by authorized personnel of the seller and manufacturer.

依美电感保留更改产品资料和外观的最终权利而无需事先通知。如有任何争议,依美电感保留最终 决定权。此中文免责条款为英文版本译本,如中、英文两个版本有任何抵触或不相符之处,应以英 文版本为准。