

PRI SEC FIG-1

CROSS SECTION DIAGRAM剖视图: (FIG-2)

2 Layers 31.0mm width insulation tape

N2:Φ0.18mmX1PX2750TS

2 Layers 31.0mm width insulation tape

N1:Φ0.26mmX1PX1150TS

FIG-2

Prepared By:	DATE :	TITLE:	CUSTOMER	MODEL NO:EI66		
Checked By:	DATE :		Approved:	REV.	00	
Approved By:	DATE :	TRANSFORMER	Date:	PAGE 1 OF 3		



4	member of CM		<u>SPECIFIC</u>	ATION特性 <u></u>	艺 <mark>求</mark> : (Table-1)
		MEASURMENT	CHARACTERISTI	MEASURING	

ITEM 项目	MEASURMENT S 测试脚位	CHARACTERISTI CS 测试范围	MEASURING CONDITIONS 测试条件 (T=25±4℃;HR(%)=45±15)	REMARK 备注
LOAD CONDITION VOLTAGE 输出电压	PIN4-PIN7	500Vac ± 8%	INPUT VOLTAGE 220Vac/50Hz AT 1-2	SERIAL MODE 串联模式
HIPOT 耐压	N1/N2	NO BREAKDOWN 漏 电 流≤5.0mA	VAC=1500V/60SECS. F(Hz)=50	SERIAL MODE 串联模式
	N1,N2/CORE	NO BREAKDOWN 漏 电 流≤5.0mA	VAC=1000V/2SEC. F(Hz)=50	SERIAL MODE 串联模式

REMARK:初级和次级不相同的两个绕组需测试是否短路

100% testing for the above electrical characteristics. 所有产品按以上要求进行100%测试.

Quality Requirement:(品质要求)

Ref ANSI/ASQC.Z1.4 2008 Level II . Major AQL=0.4% Minor AQL=1.0%. 参照ANSI/ASQC.Z1.4 2008 Level II. Major AQL=0.4% Minor AQL=1.0%.

Prepared By:	Date:	TITLE:	CUSTOMER	MODEL NO.:EI66		
Checked By:	Date:		Approved:	REV.	00	
Approved By:	Date:	TRANSFORMER	Date:	PAGE 2 OF 3		



OUTLINE DIAGRAM (外观图)

UNIT: mm (FIG-3 FIG-4 FIG-5)





FIG-3



A 70.0 MAX

1 2

EI60X33P5W50-00

ECL YYWW

FIG-4

FIG-5

NOTES:

- 1. Product outside wrap 3 turns 31.0mm tape. 产品外围包三圈31.0mm胶带.
- 2. The product must be impregnated varnish. 产品必须浸凡立水.
- 3. The product should be according to RoHS 产品要符合RoHS
- 4. YYWW: date /code(FIG-3), YYWW:年份周期代码(FIG-3).

Prepared By:hufengpeng	Date :12-Dec-16	TITLE :	CUSTOMER	MODEL NO.: EI66	
Checked By:Victor	Date :12-Dec-16		Approved:	REV.:	00
Approved By:huangluhua	Date :12-Dec-16	TRANSFORMER	Date:	PAGE	3 OF 3

免责条款

元以示派 Disclaimor

Specifications and appearances may change without notice. All statements, technical information and recommendations herein are based on tests that we believed to be reliable, but the accuracy and completeness are not guaranteed. Before using, user should determine the suitability of the product for its intended use, and the user assumes all risks and liabilities whatsoever in connection therewith. Neither the seller nor the manufacturer shall be liable for any loss or damage, direct, incidental or consequential, including loss of profits or revenues arising from the use or inability to use the product. Any statements or recommendations shall have no effect unless contained in an agreement signed by authorized personnel of the seller and manufacturer.

依美电感保留更改产品资料和外观的最终权利而无需事先通知。如有任何争议,依美电感保留最终决定权。此中文免责条款为英文版本译本,如中、英文两个版本有任何抵触或不相符之处,应以英文版本为准。